

U	I	Document ID	Issue Date	Pages	Title	Current OR	Current XR	Retrieval	Inventor	S	C	P	2	3	4
1	2	US 6760693	20040706	11	Method of integrating c	703/8	345/419,		Singh, Hatesh K. e	3	1	1	1	1	1

The figure shows a screenshot of the EAST software interface. The top menu bar includes File, View, Edit, Tools, Window, Help, and a search bar. The main window displays a list of search results and a detailed view of a document.

Search Results (Left):

- (170) (((three adj dimensional) or 3d) and cad and cam and model\$1
- (23) (((three adj dimensional) or 3d) and cad and cam and model\$1
- (8) (((((three adj dimensional) or 3d) and cad and cam and model\$1
- (0) (((((three adj dimensional) or 3d) and cad and cam and model\$1
- (0) (cam adj modeling) and ((stress adj analysis) with correct\$3)
- (0) correction with (cam adj modeling\$4)
- (0) correct\$3 with (cam adj modeling\$4)
- (0) defect\$3 with (cam adj modeling\$4)
- (24) cam adj modeling\$4
- (3) (cam adj modeling\$4) and ((stress adj analysis) or (cae adj analysis\$1))
- (166) cam adj model\$4
- (103) (cam adj model\$4) and ((stress adj analysis) or (cae adj analysis\$1))
- (4102) "103" and cad
- (27) ((cam adj model\$4) and ((stress adj analysis) or (cae adj analysis\$1))
- (2) ((three adj dimensional or 3d) adj model\$4) and (cam adj modeling\$4)
- (34) cad and (cam adj model\$4) and (test\$3 or analysis)
- (23) (cad and (cam adj model\$4) and (test\$3 or analysis)) and (3d or (three adj dimensional or 3d))
- (1) "6214276".PN.
- (1) "6163010".PN.
- (1) "5886328".PN.
- (1) "5786560".PN.
- (1) "5637244".PN.
- (1) "5575936".PN.
- (1) "5247923".PN.
- (1) "4915757".PN.
- (1) "4914270".PN.
- (1) "4698480".PN.
- (1) "4546231".PN.
- (1) "4092518".PN.
- (16) ((three adj dimensional or 3d) adj model\$4) and (cam adj modeling\$4)
- (31) (cae adj analysis) and ((three adj dimensional) or 3d)
- (3) (((three adj dimensional) or 3d) adj (cam adj modeling\$4))
- (0) ((cam adj model\$4) and draw\$4) and (trail adj product)
- (1) ((cam adj model\$4) and draw\$4) and (trial adj product)
- (123) (cam adj model\$4) and draw\$4
- (169) cam adj model\$1
- (3) (3d or (three adj dimensional)) adj (cam adj model\$1)
- (3) (((three adj dimensional) or 3d) adj cam adj model\$1)
- (170) cam adj model\$1
- (4) (cam adj model\$1) and CAE
- (13) (cam adj model\$1) and mesh\$2 and ((stress adj analysis) or (cae adj analysis\$1))

Document View (Right):

DBs: USPAT:US-FGPUB:EP0;JPO;DERWENT:IBM-TDB

6625507
6459441
6230066
5900880
6760693
5867273
6192293
6536043
5189626
6587741
6110216

Buttons: Refresh, Help, Browse, Queue, Clear, DRG, IS&R term, CS Image, Text, HTML, HB, Details, Start, Stop, Back, Forward, Home, KNACCOM WMP Site, 0257401\07302004, EAST-10008103, 459

EAST - [10088103.wsp:1] File View Edit Tools Window Help

(1) "4092518".PN.
 (16) ((three adj dimensional or 3d) adj model\$4) and (cam adj mo...
 (31) (cae adj analysis) and ((three adj dimensional) or 3d)
 (3) ((three adj dimensional) or 3d) adj (cam adj model\$4)
 (0) ((cam adj model\$4) and draw\$4) and (trail adj product)
 (1) ((cam adj model\$4) and draw\$4) and (trial adj product)
 (123) (cam adj model\$4) and draw\$4
 (169) cam adj model\$1
 (3) (3d or (three adj dimensional)) adj (cam adj model\$1)
 (3) (((three adj dimensional) or 3d) adj cam adj model\$1)
 (170) cam adj model\$1
 (4) (cam adj model\$1) and CAE
 (13) (cam adj model\$1) and mesh\$2 and ((stress adj analysis) or
 (31) cam adj model\$1 and mesh\$2
 (4729) CAM and CAD
 (544) (CAM and CAD) and mesh\$2
 (47) ((CAM and CAD) and mesh\$2) and CAE
 (189) Cam adj model\$3
 (13) (Cam adj model\$3) with (3d or three adj dimensional)
 (13) (Cam adj model\$3) with (3d or (three adj dimensional))
 (92) CAE adj analysis and ((stress analysis) or (port adj flow a...
 (92) (CAE adj analysis) and ((stress analysis) or (port adj flow
 (12) ((CAE adj analysis) and ((stress analysis) or (port adj flow
 (34) ((CAE adj analysis) and ((stress analysis) or (port adj flow
 (109) (Cam adj model\$3) and ((stress analysis) or (port adj flow
 (1) (Cam adj model\$3) and ((stress adj analysis) or (port adj fl...
 (0) (CAE adj analysisa) and ((stress adj analysis) or (port adj f...
 (1) (CAE adj analysis) and ((stress adj analysis) or (port adj f...
 (87) CAD and ((stress adj analysis) or (port adj flow adj analys...
 (31) (cam adj model\$1) and mesh\$2
 (4) ("6291187") or ("6481259").PN.
 (4) ("6294187") or ("6481259").PN.
 (69) jedec adj tray
 (3) (jedec adj tray) and ((id adj tag) or rfid)
 (1) (jedec adj tray) and tag\$1

Favorites
 Tagged (33)
 UDC
 Queue
 Trash

DBs: USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM, TDB
 Highlight all hit terms initially

6625507
 6459441
 6230066
 5900880
 6760693
 5867273
 6192293
 6536043
 5189626
 6587741
 6110216

Document ID: US 6760693 Issue Date: 20040706 Pages: 11 Title: Method of integrating c Title: Method of integrating c Current OR: 703/8 Current XR: 1345/419 Retrieval: Inventor: Singh, Hatesh K. e S C P: 3 459

Start | Home | Details | HTML | 1025/401/07/30/2004 | EAST - [10088103.wsp:1] | KNAC.COM/WMP.SV | 459